

Załącznik nr 14
do uchwały Nr XXXIII/425/11
Rady Miasta Krakowa
z dnia 7 grudnia 2011 r.

**Układ informacji i powiązań między nimi w deklaracji DN-1/C Załącznik do deklaracji
na podatek od nieruchomości dla podatników korzystających ze zwolnień na mocy
uchwał Rady Miasta Krakowa w formacie danych XML**

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
<xdp:xdp xmlns:xdp="http://ns.adobe.com/xdp/">
<template baseProfile="interactiveForms" xmlns="http://www.xfa.org/schema/xfa-
template/2.5/">
  <subform name="topmostSubform" layout="tb" locale="pl_PL">
    <pageSet>
      <pageArea id="PageArea1" name="PageArea1">
        <field name="pole1_NIP">
          <ui>
            </textEdit>
          </ui>
          <value>
            <text maxChars="10"/>
          </value>
        </field>
        <field name="pole2_Numer_karty" >
          <ui>
            </textEdit>
          </ui>
          <value>
            <text maxChars="10"/>
          </value>
        </field>
        <field name="pole3_ROK" " access="readOnly">
          <ui>
            </textEdit>
          </ui>
          <value>
            <text maxChars="4"></text>
          </value>
        </field>
        <field name="P5_1">
          <ui>
            </checkboxButton>
          </ui>
          <value>
            <text>Off</text>
          </value>
          <items>
            <text>Tak</text>
            <text>Off</text>
          </items>
        </field>
        <field name="P5_2">
          <ui>
            </checkboxButton>
          </ui>
          <value>
            <text>Off</text>
          </value>
          <items>
```



```

        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="P5_2_miesiac_rok">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="6"/>
    </value>
</field>
<field name="P5_3">
    <ui>
        </checkBox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="P5_4">
    <ui>
        </checkBox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="P5_5">
    <ui>
        </checkBox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="P5_5_miesiac_rok">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="6"/>
    </value>
</field>
<field name="P6_1">
    <ui>
        </checkBox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>

```

```
<field name="P6_2">
  <ui>
    </checkbox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="pole7_NIP">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="10"/>
  </value>
<field name="pole8_PESEL">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="11"/>
  </value>
</field>
<field name="pole9">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole10">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole11">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole12">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole13">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole14">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole15" >
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole16">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole17">
```

```
<ui>
  </textEdit>
</ui>
</field>
<field name="pole18">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole19">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole20">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole21" >
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole22">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole23">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole24">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole25">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole26">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole27">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole28">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole29">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole30">
  <ui>
    </textEdit>
  </ui>
</field>
```

```

</field>
<field name="pole31">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole32">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole33">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole34">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole35">
  <ui>
    </textEdit>
  </ui>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page2">
  <field name="pole36">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole37" presence="hidden">
    <ui>
      <margin/>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>0,77</float>
    </value>
  </field>
  <field name="pole38">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole36.rawValue * pole37.rawValue;</script>
    </calculate>
  </field>
  <field name="pole39">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>

```

```

<field name="pole40" presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <value>
    <float>0,34</float>
  </value>
</field>
<field name="pole41">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole39.rawValue * pole40.rawValue;</script>
  </calculate>
</field>
<field name="pole42">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole43" presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <value>
    <float>0,67</float>
  </value>
</field>
<field name="pole44">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole42.rawValue * pole43.rawValue;</script>
  </calculate>
</field>
<field name="pole45">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole46" presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>

```

```
</format>
<value>
  <float>0,67</float>
</value>
</field>
<field name="pole47">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole45.rawValue * pole46.rawValue;</script>
  </calculate>
</field>
<field name="pole48">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole49" presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>0,25</float>
  </value>
</field>
<field name="pole50">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole48.rawValue * pole49.rawValue;</script>
  </calculate>
</field>
<field name="pole51">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole52" presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>3,81</float>
  </value>
</field>
<field name="pole53" >
```



```

    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole51.rawValue * pole52.rawValue;</script>
    </calculate>
  </field>
  <field name="pole54" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole55" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float>0,34</float>
    </value>
  </field>
  <field name="pole56" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole54.rawValue * pole55.rawValue;</script>
    </calculate>
  </field>
  <field name="pole57" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole58" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float>0,64</float>
    </value>
  </field>
  <field name="pole59" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>

```

```

        <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole57.rawValue * pole58.rawValue;</script>
        </calculate>
</field>
<field name="pole60" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole61" presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <value>
    <float>20,62</float>
  </value>
</field>
<field name="pole62" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole61.rawValue * pole60.rawValue;</script>
    </calculate>
</field>
<field name="pole63" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole64" presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <value>
    <float>8,78</float>
  </value>
</field>
<field name="pole65" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole63.rawValue * pole64.rawValue;</script>
    </calculate>
</field>
<field name="pole66" >

```

```

    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole67" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float>1,78</float>
    </value>
  </field>
  <field name="pole68" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole67.rawValue * pole66.rawValue;</script>
    </calculate>
  </field>
  <field name="pole69" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole70" " presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float>8,78</float>
    </value>
  </field>
  <field name="pole71" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole70.rawValue * pole69.rawValue;</script>
    </calculate>
  </field>
  <field name="pole72" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>

```

```

</field>
<field name="pole73" presence="hidden">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text>17,55</text>
  </value>
</field>
<field name="pole74" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole72.rawValue * pole73.rawValue;</script>
  </calculate>
</field>
<field name="pole75" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole76" " presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>9,73</float>
  </value>
</field>
<field name="pole77" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole76.rawValue * pole75.rawValue;</script>
  </calculate>
</field>
<field name="pole78" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole79" presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>

```

```

        <float>1,78</float>
    </value>
</field>
<field name="pole80" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole79.rawValue * pole78.rawValue;</script>
    </calculate>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page3" >
    <field name="pole81" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole82" presence="hidden">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
            <float>6,58</float>
        </value>
    </field>
    <field name="pole83" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole82.rawValue * pole81.rawValue;</script>
        </calculate>
    <field name="pole84" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole85" presence="hidden">
        <ui>
            </textEdit>
        </ui>
        <value>
            <text>10,97</text>
        </value>
    </field>
    <field name="pole86" >
        <ui>
            </numericEdit>
        </ui>
        <format>

```

```

        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole85.rawValue * pole84.rawValue;</script>
    </calculate>
</field>
<field name="pole87" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole88" presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>6,55</float>
    </value>
</field>
<field name="pole89" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole88.rawValue * pole87.rawValue;</script>
    </calculate>
</field>
<field name="pole90" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
<field name="pole91" presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,02</float>
    </value>
</field>
<field name="pole92" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole90.rawValue * pole91.rawValue;</script>
    </calculate>
</field>

```

```

<field name="pole93" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <field name="pole94" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float>0,001</float>
    </value>
  </field>
  <field name="pole95" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole94.rawValue * pole93.rawValue;</script>
    </calculate>
  </field>
  <field name="pole96">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
      <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
      </format>
      <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole38.rawValue + pole41.rawValue + pole44.rawValue + pole47.rawValue +
pole50.rawValue + pole53.rawValue + pole56.rawValue + pole59.rawValue +
pole62.rawValue + pole65.rawValue + pole68.rawValue + pole71.rawValue +
pole74.rawValue + pole77.rawValue + pole80.rawValue + pole83.rawValue +
pole86.rawValue + pole89.rawValue + pole92.rawValue + pole95.rawValue;</script>
      </calculate>
    </field>
  <field name="pole97">
    <ui>
      </textEdit>
    </ui>
  </field>
</field>
  <field name="pole98">
    <ui>
      </textEdit>
    </ui>
  </field>
</field>
  <field name="pole99">
    <ui>
      </textEdit>
    </ui>
  </field>
</field>
  <field name="pole100">
    <ui>
      </textEdit>
    </ui>
  </field>

```

```
</ui>
</field>
</field>
<field name="pole101">
  <ui>
    </textEdit>
  </ui>
</field>
</field>
<field name="pole102">
  <ui>
    </textEdit>
  </ui>
</field>
</field>
<field name="pole103">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole104">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole105">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole106">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole107">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole108">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole109">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole110">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole111">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole112">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole113">
  <ui>
    </textEdit>
  </ui>
</field>
```



```
</ui>
</field>
<field name="pole114">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole115">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole116">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole117">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole118">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole119">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole120">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole121">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole122">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole123">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole124">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole125">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole126">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole127">
```

```
<ui>
  </textEdit>
</ui>
</field>
<field name="pole128">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole129">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole130">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole131">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole132">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole133">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole134">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole135">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole136">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole137">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole138">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole139">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole140">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
</field>
<field name="pole141">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole142">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole143">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole144">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole145">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole146">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole147">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole148">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole149">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole150">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole151">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole152">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole153">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole154">
  <ui>
```

```
        </textEdit>
    </ui>
</field>
<field name="pole155">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole156">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole157">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole158">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole159">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole160">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole161">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole162">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole163">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole164">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole162">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole165">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole166">
    <ui>
        </textEdit>
    </ui>
</field>
```

```
<?templateDesigner expand 1?></subform>
<subform name="Page4" >
  <field name="pole165">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole166">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole167">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole168">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole169">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole170">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole171">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole172">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole173">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole174">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole175">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole176">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole177">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole178">
```

```
<ui>
  </textEdit>
</ui>
</field>
<field name="pole179">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole180">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole181">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole182">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole183">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole184">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole185">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole186">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole187">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole189">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole190">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole192" >
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole194">
```

```
<ui>
  </textEdit>
</ui>
</field>
<field name="pole196" >
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
```

