

**Układ informacji i powiązań między nimi w deklaracji DL-1 Deklaracja na podatek
leśny w formacie danych XML**

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
  <subform name="topmostSubform" layout="tb" locale="pl_PL">
    <pageSet>
      <pageArea id="PageArea1" name="PageArea1">
        <subform name="Page1">
          <field name="pole1_NIP">
            <ui>
              </textEdit>
            </ui>
            <value>
              <text maxChars="10"/>
            </value>
          </field>
          <field name="pole1_NIP">
            <ui>
              </textEdit>
            </ui>
            <value>
              <text maxChars="10"/>
            </value>
          </field>
          <field name="pole2_Numer_karty">
            <ui>
              </textEdit>
            </ui>
            <value>
              <text maxChars="10"/>
            </value>
          </field>
          <field name="pole3_ROK" access="readOnly">
            <ui>
              </textEdit>
            </ui>
            <value>
              <text maxChars="4"></text>
            </value>
          </field>
          <field name="P5_1">
            <ui>
              </checkBox>
            </ui>
            <value>
              <text>Off</text>
            </value>
            <items>
              <text>Tak</text>
              <text>Off</text>
            </items>
          </field>
          <field name="P5_3">
            <ui>
              </checkBox>
            </ui>
            <value>
              <text>Off</text>
            </value>
          </field>
        </subform>
      </pageArea>
    </pageSet>
  </subform>
</subform>
```



```

        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
<field name="P5_5">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P5_2">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P5_4">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P5_2_miesiac_rok">
    <ui>
        <comb numberOfCells="6"/>
    </textEdit>
    </ui>
    <value>
        <text maxChars="6"/>
    </value>
<field name="P5_5_miesiac_rok">
    <ui>
        <comb numberOfCells="6"/>
    </textEdit>
    </ui>
    <value>
        <text maxChars="6"/>
    </value>
<field name="P6_1">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="P6_2">
    <ui>
        </checkboxButton>

```

```
</ui>
<value>
  <text>Off</text>
</value>
<items>
  <text>Tak</text>
  <text>Off</text>
</items>
</field>
<field name="P6_3">
  <ui>
    </checkbox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="P6_4">
  <ui>
    </checkbox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="pole11_PESEL">
  <ui>
    <margin/>
    </textEdit>
  </ui>
  <value>
    <text maxChars="11"/>
  </value>
</field>
<field name="pole8">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole9">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole10_REGON">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole12">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole13">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole14">
```

```
<ui>
  </textEdit>
</ui>
</field>
<field name="pole15">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole16">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole17">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole18">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole19">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole20">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole21">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole22">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole23">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole24">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole25">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole26">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole27">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
</field>
<field name="pole28">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole29">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole30">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole31">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole32">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole33">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole34">
  <ui>
    </textEdit>
  </ui>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page2">
  <field name="pole35">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
  </field>
  <field name="pole38">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
  </field>
  <field name="pole37">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
  </field>
  <field name="pole40">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
  </field>
</subform>
```

```
    </format>
  </field>
  <field name="pole41">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
  </field>
  <field name="pole42">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole43">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole44">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole45">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole46">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole47">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
  </field>
  <field name="pole48">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole49">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole50">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole51">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole52">
    <ui>
      </textEdit>
    </ui>
  </field>
```

```
<field name="pole53">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole54">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole55">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole56">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole57">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole58">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole59">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole60">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole61">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole62">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole63">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole64">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole65">
  <ui>
```



```
        </textEdit>
    </ui>
</field>
<field name="pole66">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole67">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole68">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
</field>
<field name="pole69">
    <ui>
        </textEdit>
    </ui>
</field>

<field name="pole70">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole71">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole72">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole73">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole74">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole75">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
</field>
<field name="pole76">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole77">
    <ui>
        </textEdit>
```

```
</ui>
</field>
<field name="pole78">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole79">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole80">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole81">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole82">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole83">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole84">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole85">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole86">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole87">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole88">
```

```

    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <?templateDesigner expand 1?></subform>
<subform name="Page3">
  <field name="pole89">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole90">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole91">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole92">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole93">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole94">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole95">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole96">
    <ui>
      </numericEdit>

```

```
</ui>
<format>
  <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
</field>
<field name="pole97">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole98" x>
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole99">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole101">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole102" x>
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole103">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole05">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole106" x>
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole107">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
```