

Załącznik nr 14
do uchwały Nr
Rady Miasta Krakowa z dnia

**Układ informacji i powiązań między nimi w deklaracji DN-1/C Załącznik do deklaracji
na podatek od nieruchomości dla podatników korzystających ze zwolnień na mocy
uchwał Rady Miasta Krakowa na rok 2009 w formacie danych XML**

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
<xmp:xdp xmlns:xmp="http://ns.adobe.com/xdp/">
<template baseProfile="interactiveForms" xmlns="http://www.xfa.org/schema/xfa-
template/2.5/">
    <subform name="topmostSubform" layout="tb" locale="pl_PL">
        <pageSet>
            <pageArea id="PageArea1" name="PageArea1">
                <field name="pole1_NIP">
                    <ui>
                        <textEdit>
                    </ui>
                    <value>
                        <text maxChars="10"/>
                    </value>
                </field>
                <field name="pole1_NIP">
                    <ui>
                        <textEdit>
                    </ui>
                    <value>
                        <text maxChars="10"/>
                    </value>
                </field>
                <field name="pole2_Numer_karty" >
                    <ui>
                        <textEdit>
                    </ui>
                    <value>
                        <text maxChars="10"/>
                    </value>
                </field>
                <field name="pole3_ROK" " access="readOnly">
                    <ui>
                        <textEdit>
                    </ui>
                    <value>
                        <text maxChars="4">2009</text>
                    </value>
                </field>
                <field name="P5_1">
                    <ui>
                        <checkButton>
                    </ui>
                    <value>
                        <text>Off</text>
                    </value>
                    <items>
                        <text>Tak</text>
                        <text>Off</text>
                    </items>
                </field>
                <field name="P5_2">
                    <ui>
                        <checkButton>
                    </ui>
                    <value>
```

```
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="P5_2_miesiac_rok">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="6"/>
    </value>
</field>
<field name="P5_3">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="P5_4">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="P5_5">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="P5_5_miesiac_rok">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="6"/>
    </value>
</field>
<field name="P6_1">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
```

```
        <text>Off</text>
    </items>
</field>
<field name="P6_2">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="pole8_PESEL">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="11"/>
    </value>
</field>
<field name="pole9">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole10">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole11">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole12">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole13">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole14">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole15">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole16" >
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole17">
    <ui>
        </textEdit>
    </ui>
</field>
```

```
<field name="pole18">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole19">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole20">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole21" >
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole22">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole23">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole24">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole25">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole26">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole27">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole28">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole29">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole30">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole31">
  <ui>
    </textEdit>
```

```

        </ui>
    </field>
<field name="pole32">
    <ui>
        <textEdit>
    </ui>
</field>
<field name="pole33">
    <ui>
        <textEdit>
    </ui>
</field>
<field name="pole34">
    <ui>
        <textEdit>
    </ui>
</field>
<field name="pole35">
    <ui>
        <textEdit>
    </ui>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page2">
    <field name="pole36">
        <ui>
            <numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole37" presence="hidden">
        <ui>
            <margin/>
            <numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
            <float>0,70</float>
        </value>
    </field>
    <field name="pole38">
        <ui>
            <numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole39">
        <ui>
            <numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole40" presence="hidden">
        <ui>
            <numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>

```

```

        <float>0,37</float>
    </value>
</field>
<field name="pole41">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole42">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole43" presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,37</float>
    </value>
</field>
<field name="pole44">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole45">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole46" presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,63</float>
    </value>
</field>
<field name="pole47">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole48">
    <ui>
        </numericEdit>

```

```

        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
<field name="pole49" presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>0,24</float>
    </value>
</field>
<field name="pole50">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole51">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole52" presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>3,87</float>
    </value>
</field>
<field name="pole53" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole54" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole55" presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>0,07</float>
    </value>
</field>

```

```

        </value>
    </field>
<field name="pole56" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole57" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole58" presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,24</float>
    </value>
</field>
<field name="pole59" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole60" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole61" presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,58</float>
    </value>
</field>
<field name="pole62" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole63" >
    <ui>
        </numericEdit>
    </ui>

```

```

<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
</field>
<field name="pole64" presence="hidden">
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
<value>
    <float>19,43</float>
</value>
</field>
<field name="pole65" >
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
</field>
<field name="pole66" >
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
</field>
<field name="pole67" presence="hidden">
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
<value>
    <float>9,90</float>
</value>
</field>
<field name="pole68" >
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
</field>
<field name="pole69" >
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
</field>
<field name="pole70" " presence="hidden">
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
<value>
    <float>9,90</float>
</value>

```

```

</field>
<field name="pole71" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole72" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole73" presence="hidden">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text>16,84</text>
  </value>
</field>
<field name="pole74" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole75" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole76" " presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>9,21</float>
  </value>
</field>
<field name="pole77" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole78" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>

```

```

<field name="pole79" presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>2,05</float>
  </value>
</field>
<field name="pole80" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page3" >
  <field name="pole81" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole82" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>5,72</float>
    </value>
  </field>
  <field name="pole83" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole84" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole85" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>5,72</float>
    </value>
  </field>
<field name="pole86" >

```

```

<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
</field>
<field name="pole87" >
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
</field>
<field name="pole88" presence="hidden">
<ui>
    </textEdit>
</ui>
<value>
    <text>0,02</text>
</value>
</field>
<field name="pole89" >
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
</field>
<field name="pole90" >
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
</field>
<field name="pole91" presence="hidden">
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
<value>
    <float>0,002</float>
</value>
</field>
<field name="pole92" >
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
</field>
<field name="pole93" >
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
</field>
<field name="pole94" >
<ui>

```

```

        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole95" >
    <ui>
        <numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole96" >
    <ui>
        <numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole92" >
    <ui>
        <numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole98">
    <ui>
        <textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole99">
    <ui>
        <textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole100">
    <ui>
        <textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole101">
    <ui>
        <textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole102">
    <ui>
        <textEdit>
    </ui>
    <value>

```

```
        <text maxChars="8"/>
    </value>
</field>
<field name="pole103">
    <ui>
        </TextEdit>
    </ui>
</field>
<field name="pole104">
    <ui>
        </TextEdit>
    </ui>
</field>
<field name="pole105">
    <ui>
        </TextEdit>
    </ui>
</field>
<field name="pole106">
    <ui>
        </TextEdit>
    </ui>
</field>
<field name="pole107">
    <ui>
        </TextEdit>
    </ui>
</field>
<field name="pole108">
    <ui>
        </TextEdit>
    </ui>
</field>
<field name="pole109">
    <ui>
        </TextEdit>
    </ui>
</field>
<field name="pole110">
    <ui>
        </TextEdit>
    </ui>
</field>
<field name="pole111">
    <ui>
        </TextEdit>
    </ui>
</field>
<field name="pole112">
    <ui>
        </TextEdit>
    </ui>
</field>
<field name="pole113">
    <ui>
        </TextEdit>
    </ui>
</field>
<field name="pole114">
    <ui>
        </TextEdit>
    </ui>
</field>
<field name="pole115">
    <ui>
        </TextEdit>
    </ui>
</field>
```

```
<field name="pole116">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole117">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole118">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole119">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole120">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole121">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole122">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole123">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole124">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole125">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole126">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole127">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole128">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole129">
  <ui>
    </textEdit>
```

```
        </ui>
    </field>
<field name="pole130">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole131">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole132">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole133">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole134">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole135">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole136">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole137">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole138">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole139">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole140">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole141">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole142">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole143">
```

```
<ui>
    </textEdit>
</ui>
</field>
<field name="pole144">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole145">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole146">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole147">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole148">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole149">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole150">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole151">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole152">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole153">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole154">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole155">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole156">
    <ui>
        </textEdit>
    </ui>
```

```
</field>
<field name="pole157">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole158">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole159">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole160">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole161">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole162">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole163">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole164">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole165">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole166">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole167">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole168">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole169">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole170">
<ui>
```

```
        </textEdit>
    </ui>
</field>
<field name="pole171">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole172">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole173">
    <ui>
        </textEdit>
    </ui>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page4" >
    <field name="pole174">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole175">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole176">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole177">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole178">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole179">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole180">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole181">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole182">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole183">
        <ui>
            </textEdit>
```

```
        </ui>
    </field>
<field name="pole184">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole185">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole186">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole187" >
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole189">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole190">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole191" >
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
```