

Załącznik nr 11
do uchwały Nr
Rady Miasta Krakowa z dnia

Układ informacji i powiązań między nimi w deklaracji DN-1 Deklaracja na podatek od nieruchomości na rok 2009 w formacie danych XML

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
<xdp:xdp xmlns:xdp="http://ns.adobe.com/xdp/">
<template xmlns="http://www.xfa.org/schema/xfa-template/2.5/">
baseProfile="interactiveForms">
<subform layout="tb" locale="pl_PL" name="topmostSubform">
<pageSet>
    <pageArea id="PageAreal" name="PageAreal">
        <field name="pole1_NIP" >
            <ui>
                <textEdit hScrollPolicy="off">
                    <comb numberOfCells="10"/>
                    <margin/>
                </textEdit>
            </ui>
            <value>
                <text maxChars="10"/>
            </value>
        </field>
        <field name="pole1_NIP" >
            <ui>
                <textEdit hScrollPolicy="off">
                    <comb numberOfCells="10"/>
                    <margin/>
                </textEdit>
            </ui>
            <value>
                <text maxChars="10"/>
            </value>
        </field>
        <field name="pole11_REGON">
            <ui>
                <textEdit hScrollPolicy="off">
                    <comb numberOfCells="10"/>
                    <margin/>
                </textEdit>
            </ui>
            <value>
                <text maxChars="10"/>
            </value>
        </field>
        <field name="pole12_PESEL" >
            <ui>
                <textEdit hScrollPolicy="off">
                    <comb numberOfCells="11"/>
                    <margin/>
                </textEdit>
            </ui>
            <value>
                <text>Off</text>
            </value>
            <items>
                <text>Tak</text>
                <text>Off</text>
            <items>
```

```

<field name="P5_3">
  <ui>
    </checkButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P5_5">
  <ui>
    </checkButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P5_2">
  <ui>
    </checkButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P5_4">
  <ui>
    </checkButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P5_2_miesiac_rok">
  <ui>
    <comb numberOfCells="6"/>
  </textEdit>
  </ui>
  <value>
    <text maxChars="6"/>
  </value>
<field name="P5_5_miesiac_rok">
  <ui>
    <comb numberOfCells="6"/>
  </textEdit>
  </ui>
  <value>
    <text maxChars="6"/>
  </value>
<field name="P6_1">
  <ui>
    </checkButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>

```

```
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_2">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_3">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_6">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_8">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_5">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_7">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
```

```

        </items>
<field name="P6_4">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
<field name="P7_1">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
<field name="P7_2">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
<field name="P7_3">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
<field name="P7_4">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
<field name="pole9">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole10">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole14_NBR">
<ui>

```

```

        <comb numberOfCells="26"/>
    </textEdit>
</ui>
<value>
    <text maxChars="26"/>
</value>
</field>
<field name="pole13">
<ui>
    <comb numberOfCells="11"/>
</textEdit>
</ui>
<value>
    <text maxChars="11"/>
</value>
</field>
<field access="readOnly" name="pole3_ROK">
<ui>
    <comb numberOfCells="4"/>
</textEdit>
</ui>
<value>
    <text maxChars="4">2009</text>
</value>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page2">
<field name="pole22">
<ui>
    <textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole23">
<ui>
    <textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole18">
<ui>
    <textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole19">
<ui>
    <textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole22">
<ui>
    <textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole21">
<ui>
    <textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole24">
<ui>
    <textEdit hScrollPolicy="off">
</textEdit>
</ui>

```

```
</field>
<field name="pole15">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole16">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole17">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole32">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole33">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole28">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole29">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole30">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole31">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole34">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole25">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole26">
```

```

<ui>
    <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole27">
    <ui>
        <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
    </field>
<field name="pole35">
    <ui>
        <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
    </field>
<field name="pole36">
    <ui>
        <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
    </field>
<field name="pole37">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole38" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>0,70</float>
    </value>
</field>
<field name="pole39">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole37.rawValue * pole38.rawValue;</script>
    </calculate>
</field>
<field name="pole40">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole41" presence="hidden">
    <ui>

```

```

        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,37</float>
    </value>
</field>
<field name="pole42">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole40.rawValue * pole41.rawValue;</script>
    </calculate>
</field>
<field name="pole43">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole44" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,37</float>
    </value>
</field>
<field name="pole45">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole43.rawValue * pole44.rawValue;</script>
    </calculate>
</field>
<field name="pole46">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole47">
    <ui>

```

```

        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,63</float>
    </value>
<field name="pole48">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole46.rawValue * pole47.rawValue;</script>
    </calculate>
</field>
<field name="pole49">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole50" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,24</float>
    </value>
</field>
<field name="pole51">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole49.rawValue * pole50.rawValue;</script>
    </calculate>
</field>
<field name="pole52">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.999}</picture>
    </format>
</field>
<field name="pole53" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">

```

```

        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>3,87</float>
    </value>
</field>
<field name="pole54">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole52.rawValue * pole53.rawValue;</script>
    </calculate>
</field>
<field name="pole55">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole56" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,07</float>
    </value>
</field>
<field name="pole57">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole55.rawValue * pole56.rawValue;</script>
    </calculate>
</field>
<field name="pole58">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole59" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">

```

```

        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <value>
            <float>0,24</float>
        </value>
    </field>
    <field name="pole60">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole58.rawValue * pole59.rawValue;</script>
        </calculate>
    </field>
    <field name="pole61">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="pole62" presence="hidden">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <value>
            <float>0,58</float>
        </value>
    </field>
    <field name="pole63">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole61.rawValue * pole62.rawValue;</script>
        </calculate>
    </field>
    <field name="pole64">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="pole65" presence="hidden">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>

```

```

        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
            <float>19,43</float>
        </value>
    </field>
    <field name="pole66">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <para hAlign="right" vAlign="middle"/>
        <font typeface="Helvetica"/>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole64.rawValue * pole65.rawValue;</script>
        </calculate>
    </field>
    <?templateDesigner expand 1?></subform>
<subform h="842pt" name="Page3">
    <break before="pageArea" beforeTarget="#PageAreal" startNew="1"/>
    <bind match="none"/>
    <field name="pole67">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole68" presence="hidden">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
            <float>9,90</float>
        </value>
    </field>
    <field name="pole69">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole67.rawValue * pole68.rawValue;</script>
        </calculate>
    </field>
    <field name="pole70">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>

```

```

        </format>
    </field>
<field name="pole71" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>9, 90</float>
    </value>
</field>
<field name="pole72">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole70.rawValue * pole71.rawValue;</script>
    </calculate>
</field>
<field name="pole73">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole74" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>16, 84</float>
    </value>
</field>
<field name="pole75">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole73.rawValue * pole74.rawValue;</script>
    </calculate>
</field>
<field name="pole76">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>

```

```

        </format>
    </field>
<field name="pole77" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>9,21</float>
    </value>
</field>
<field name="pole78">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole76.rawValue * pole77.rawValue;</script>
    </calculate>
</field>
<field name="pole79">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole80" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>2,05</float>
    </value>
</field>
<field name="pole81">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole79.rawValue * pole80.rawValue;</script>
    </calculate>
</field>
<field name="pole82">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>

```

```

        </format>
    </field>
<field name="pole83" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>5,72</float>
    </value>
</field>
<field name="pole84">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole82.rawValue * pole83.rawValue;</script>
    </calculate>
</field>
<field name="pole85">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole86" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>5,72</float>
    </value>
</field>
<field name="pole87">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole85.rawValue * pole86.rawValue;</script>
    </calculate>
</field>
<field name="pole88">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>

```

```

        </format>
    </field>
<field name="pole89" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,02</float>
    </value>
</field>
<field name="pole90">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole88.rawValue * pole89.rawValue;</script>
    </calculate>
</field>
<field name="pole91">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole92" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,002</float>
    </value>
</field>
<field name="pole93">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole91.rawValue * pole92.rawValue;</script>
    </calculate>
</field>
<field name="pole94">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>

```

```

        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole39.rawValue + pole42.rawValue + pole45.rawValue + pole48.rawValue +
pole51.rawValue + pole54.rawValue + pole57.rawValue + pole60.rawValue +
pole63.rawValue + pole66.rawValue + pole69.rawValue + pole72.rawValue +
pole75.rawValue + pole78.rawValue + pole81.rawValue + pole84.rawValue +
pole87.rawValue + pole90.rawValue + pole93.rawValue;</script>
        </calculate>
    </field>
<field name="pole95">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole96">
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole97">
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole98">
    <ui>
        <textEdit hScrollPolicy="off">
            <comb numberOfRows="8"/>
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole100">
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole102">
    <ui>
        <textEdit hScrollPolicy="off">
            <comb numberOfRows="8"/>
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>

```