

Załącznik nr 9
do uchwały Nr
Rady Miasta Krakowa z dnia

**Układ informacji i powiązań między nimi w deklaracji IN-1 Informacja
o nieruchomościach osób fizycznych (budynkach, budowlach, gruntach i lasach)
w formacie danych XML**

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
<xdp:xdp xmlns:xdp="http://ns.adobe.com/xdp/" timeStamp="2008-11-
12T05:52:48Z" uuid="32056ed4-538c-4f69-ab76-1f5006ef04fb">
<template baseProfile="interactiveForms"
xmlns="http://www.xfa.org/schema/xfa-template/2.5/">
<subform name="topmostSubform" layout="tb" locale="pl_PL">
<pageSet>
    <pageArea id="PageArea1" name="PageArea1">
        <field name="pole1">
            <para vAlign="middle"/>
            <ui>
                <choiceList commitOn="exit">
                    </choiceList>
            </ui>
            <items>
                <text>*</text>
                <text>31-549 Kraków, Al. Powstania Warszawskiego 10</text>
                <text>30-552 Kraków, Al. ul. Wielicka 28A</text>
                <text>31-949 Kraków, Os. Zgody 2</text>
            </items>
            <items save="1" presence="hidden">
                <text>*</text>
                <text>31-549 Kraków, Al. Powstania Warszawskiego 10</text>
                <text>30-552 Kraków, Al. ul. Wielicka 28A</text>
                <text>31-949 Kraków, Os. Zgody 2</text>
            </items>
            <value>
                <text>*</text>
            </value>
        </field>
        <field name="pole2-1">
            <ui>
                </checkButton>
            </ui>
            <value>
                <text>Off</text>
            </value>
            <items>
                <text>Tak</text>
                <text>Off</text>
            </items>
        </field>
        <field name="pole2-2">
            <ui>
                </checkButton>
            </ui>
            <value>
                <text>Off</text>
            </value>
            <items>
                <text>Tak</text>
                <text>Off</text>
            </items>
        </field>
        <field name="pole2-data">
```

```

<ui>
    <comb numberOfCells="8"/>
    </textEdit>
</ui>
<value>
    <text maxChars="8"/>
</value>
</field>
<b><field name="pole3"></b>
<ui>
    <margin/>
    </textEdit>
</ui>
</field>
<b><field name="pole4-1"></b>
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
</field>
<b><field name="pole4-2"></b>
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
</field>
<b><field name="pole4-3"></b>
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
</field>
<b><field name="pole4-4"></b>
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
</field>
<b><field name="pole4-6"></b>
<ui>
    </checkButton>

```

```
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
</field>
<field name="pole4-5">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
</field>
<field name="pole4-7">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
</field>
<field name="pole4-8">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
</field>
<field name="pole5">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole6">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole9">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole10">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole12">
<ui>
```

```
        </textEdit>
    </ui>
</field>
<field name="pole13">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole14">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole15">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole11">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole16">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole17">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole20">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole21">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole23">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole24">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole25">
    <ui>
        </textEdit>
    </ui>
</field>

<field name="pole26">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole22">
    <ui>
        </textEdit>
```

```

        </ui>
    </field>
    <field name="pole7_NIP">
        <ui>
            </textEdit>
        </ui>
        <value>
            <text maxChars="10"/>
        </value>
    </field>
    <field name="pole8_PESEL">
        <ui>
            </textEdit>
        </ui>
        <value>
            <text maxChars="11"/>
        </value>
    </field>
    <field name="pole18_NIP">
        <ui>
            </textEdit>
        </ui>
        <value>
            <text maxChars="10"/>
        </value>
    </field>
    <field name="pole19_PESEL">
        <ui>
            </textEdit>
        </ui>
        <value>
            <text maxChars="11"/>
        </value>
    </field>

    <?templateDesigner expand 1?></subform>
<subform name="Page2">
    <break before="pageArea" beforeTarget="#PageArea1" startNew="1"/>
    <bind match="none"/>

    <field name="pole27">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole28">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole30">
        <ui>
            </textEdit>
        </ui>
    </field>

    <field name="pole31">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole32">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole33">
        <ui>
            </textEdit>

```

```
        </ui>
    </field>
    <field name="pole29">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole36">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole37">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole39">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole40">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole41">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole42">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole38">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole34">
        <ui>
            </textEdit>
        </ui>
    </field>

    <field name="pole35">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole43">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole45">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole46">
        <ui>
            </textEdit>
```

```
        </ui>
    </field>
    <field name="pole47">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole44">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole48">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole50">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole49">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole51">
        <ui>
            </textEdit>
        </ui>
        <value>
            <text maxChars="8"/>
        </value>
    </field>
    <field name="pole52">
        <ui>
            </textEdit>
        </ui>
        <value>
            <text maxChars="8"/>
        </value>
    </field>

        <field name="pole53">
            <ui>
                </textEdit>
            </ui>
        </field>
        <field name="pole55">
            <ui>
                </textEdit>
            </ui>
        </field>
        <field name="pole56">
            <ui>
                </textEdit>
            </ui>
        </field>
        <field name="pole57">
            <ui>
                </textEdit>
            </ui>
        </field>
        <field name="pole54">
            <ui>
                </textEdit>

```

```

        </ui>
    </field>
    <field name="pole58">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole60">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole59">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole61">
        <ui>
            </textEdit>
        </ui>
        <value>
            <text maxChars="8"/>
        </value>
    </field>
    <field name="pole62">
        <ui>
            </textEdit>
        </ui>
        <value>
            <text maxChars="8"/>
        </value>
    </field>
    <field name="pole63">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="pole64">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole68">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole65">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole69">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole66">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>

```

```

        </format>
    </field>
    <field name="pole70">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="pole67">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="pole71">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="pole72">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="Pole_wyboruE1-3-2">
        <ui>
            </checkButton>
        </ui>
        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    </field>
    <field name="Pole_wyboruE1-3-1">
        <ui>
            </checkButton>
        </ui>
        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    </field>
<?templateDesigner expand 1?></subform>
<subform name="Page3" >
    <break before="pageArea" beforeTarget="#PageArea1" startNew="1"/>
    <bind match="none"/>

    <field name="pole73">
        <ui>
            </numericEdit>

```

```

        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <b><field name="Pole_wyboruE1-4-2"></b>
        <ui>
            </checkButton>
        </ui>
        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    </field>
    <b><field name="Pole_wyboruE1-4-1"></b>
        <ui>
            </checkButton>
        </ui>
        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    </field>
    <b><field name="pole74"></b>
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <b><field name="Pole_wyboruE1-5-2"></b>
        <ui>
            </checkButton>
        </ui>
        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    </field>
    <b><field name="Pole_wyboruE1-5-1"></b>
        <ui>
            </checkButton>
        </ui>
        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    </field>
    <b><field name="pole75"></b>
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>

```

```

        </format>
    </field>
    <field name="Pole_wyboruE1-6-2">
        <ui>
            </checkButton>
        </ui>
        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    </field>
    <field name="Pole_wyboruE1-6-1">
        <ui>
            </checkButton>
        </ui>
        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    </field>
    <field name="pole76">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="Pole_wyboruE1-7-2">
        <ui>
            </checkButton>
        </ui>
        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    </field>
    <field name="Pole_wyboruE1-7-1" >
        <ui>
            </checkButton>
        </ui>
        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    </field>
    <field name="pole77">
        <ui>
            <margin/>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>

```

```

<field name="Pole_wyboruE1-8-2">
  <ui>
    </checkButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="Pole_wyboruE1-8-1">
  <ui>
    </checkButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="pole78">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole79">
  <ui>
    <margin/>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole80">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole81">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole82">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole83">
  <ui>

```

```

        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole84">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>

    <field name="pole85">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole86">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole87">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole88">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole89">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole90">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="TekstF1-1">
    <ui>
        </textEdit>
    </ui>

```

```

</field>
<field name="TekstF1-2">
<ui>
</textEdit>
</ui>
</field>
<field name="DataF1-1">
<ui>
</textEdit>
</ui>
<value>
<text maxChars="8"/>
</value>
</field>
<field name="DataF1-2">
<ui>
</textEdit>
</ui>
<value>
<text maxChars="8"/>
</value>
</field>
<field name="pole92">
<ui>
</numericEdit>
</ui>
<format>
<picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
</format>
</field>
<field name="pole93">
<ui>
</numericEdit>
</ui>
<format>
<picture>num(de) {zzz, zzz, zzz, zzz, zz9}</picture>
</format>
</field>
<field name="pole95">
<ui>
</numericEdit>
</ui>
<format>
<picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
</format>
</field>
<field name="pole96">
<ui>
</numericEdit>
</ui>
<format>
<picture>num(en) {zzz, zzz, zzz, zzz, zz9}</picture>
</format>
</field>
<field name="pole94">
<ui>
</numericEdit>
</ui>
<format>
<picture>num(de) {zzz, zzz, zzz, zzz, zz9}</picture>
</format>
</field>
<field name="pole97">
<ui>
</numericEdit>
</ui>
<format>

```

```

        <picture>num(de){zzz,zzz,zzz,zzz,zz9}</picture>
    </format>
</field>
<field name="pole91">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9}</picture>
    </format>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page4" x="0pt" y="0pt" w="595.22pt" h="842pt">
    <break before="pageArea" beforeTarget="#PageAreal" startNew="1"/>
    <bind match="none"/>
    <field name="TekstF2-ust1">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="TekstF2-pkt1">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole98">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9}</picture>
        </format>
    </field>
    <field name="pole99">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9}</picture>
        </format>
    </field>
    <field name="pole101">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9}</picture>
        </format>
    </field>
    <field name="pole102">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9}</picture>
        </format>
    </field>
    <field name="pole100">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9}</picture>
        </format>
    </field>

```

```
<field name="pole103">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="TekstF2-ust2">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="TekstF2-pkt2">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="TekstF3-ust1">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="TekstF3-pkt1">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole104">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole105">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="TekstF3-ust2">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="TekstF3-pkt2">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="TekstF4-ust1">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="TekstF4-pkt1">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole106">
  <ui>
```

```
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole107">
    <ui>
        <textEdit>
    </ui>
</field>
<field name="TekstF4-ust2">
    <ui>
        <textEdit>
    </ui>
</field>
<field name="TekstF4-pkt2">
    <ui>
        <textEdit>
    </ui>
</field>
<field name="pole108">
    <ui>
        <textEdit>
    </ui>
</field>
<field name="pole109">
    <ui>
        <textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole112">
    <ui>
        <textEdit>
    </ui>
</field>
<field name="pole113">
    <ui>
        <textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole116">
    <ui>
        <textEdit>
    </ui>
</field>
<field name="pole117">
    <ui>
        <textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole110">
    <ui>
        <textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
```

```
    </value>
</field>
<field name="pole114">
<ui>
    </textEdit>
</ui>
<value>
    <text maxChars="8"/>
</value>
</field>
<field name="pole118">
<ui>
    </textEdit>
</ui>
<value>
    <text maxChars="8"/>
</value>
</field>
```