

Załącznik nr 11
do uchwały Nr
Rady Miasta Krakowa z dnia

Układ informacji i powiązań między nimi w deklaracji DN-1 Deklaracja na podatek od nieruchomości na rok 2009 w formacie danych XML

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
<xdp:xdp xmlns:xdp="http://ns.adobe.com/xdp/">
<template xmlns="http://www.xfa.org/schema/xfa-template/2.5/">
baseProfile="interactiveForms">
<subform layout="tb" locale="pl_PL" name="topmostSubform">
<pageSet>
    <pageArea id="PageAreal" name="PageAreal">
        <field name="pole1_NIP" >
            <ui>
                <textEdit hScrollPolicy="off">
                    <comb numberOfCells="10"/>
                    <margin/>
                </textEdit>
            </ui>
            <value>
                <text maxChars="10"/>
            </value>
        </event>
    </field>
        <field name="pole10_REGON">
            <ui>
                <textEdit hScrollPolicy="off">
                    <comb numberOfCells="10"/>
                    <margin/>
                </textEdit>
            </ui>
            <value>
                <text maxChars="10"/>
            </value>
        </field>
        <field name="pole11_PESEL" >
            <ui>
                <textEdit hScrollPolicy="off">
                    <comb numberOfCells="11"/>
                    <margin/>
                </textEdit>
            </ui>
        <field name="P5_1">
            <ui>
                </checkButton>
            </ui>
            <value>
                <text>Off</text>
            </value>
            <items>
                <text>Tak</text>
                <text>Off</text>
            </items>
        <field name="P5_3">
            <ui>
                </checkButton>
            </ui>
            <value>
                <text>Off</text>
            </value>
            <items>
                <text>Tak</text>
                <text>Off</text>
            </items>
```

```

        </items>
<field name="P5_5">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
<field name="P5_2">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
<field name="P5_4">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
<field name="P5_2_miesiac_rok">
<ui>
    <comb numberOfCells="6"/>
    <textEdit>
</ui>
<value>
    <text maxChars="6"/>
</value>
<field name="P5_5_miesiac_rok">
<ui>
    <comb numberOfCells="6"/>
    <textEdit>
</ui>
<value>
    <text maxChars="6"/>
</value>
<field name="P6_1">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
<field name="P6_2">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>

```

```
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
<field name="P6_3">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
<field name="P6_6">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
<field name="P6_8">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
<field name="P6_5">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
<field name="P6_7">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
<field name="P6_4">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
```

```

        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P7_1">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P7_2">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P7_3">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P7_4">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="pole8">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole9">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole13_NBR">
    <ui>
        <comb numberOfCells="26"/>
    </textEdit>
    </ui>
    <value>
        <text maxChars="26"/>
    </value>
</field>
<field name="pole12">

```

```

<ui>
    <comb numberOfCells="11"/>
    </textEdit>
</ui>
<value>
    <text maxChars="11"/>
</value>
</field>
<b><field access="readOnly" name="pole3_ROK"></b>
<ui>
    <comb numberOfCells="4"/>
    </textEdit>
</ui>
<value>
    <text maxChars="4">2009</text>
</value>
</field>

<?templateDesigner expand 1?></subform>
<subform name="Page2">

    <b><field name="pole22"></b>
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
    <b><field name="pole23"></b>
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
    <b><field name="pole18"></b>
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
    <b><field name="pole19"></b>
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
    <b><field name="pole22"></b>
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
    <b><field name="pole21"></b>
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
    <b><field name="pole24"></b>
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
    <b><field name="pole15"></b>
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>

```

```
</ui>
</field>
<field name="pole16">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole17">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole32">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole33">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole28">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole29">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole30">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole31">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole34">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole25">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole26">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
```

```

</field>
<field name="pole27">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole35">
<ui>
<textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole36">
<ui>
<numericEdit hScrollPolicy="off">
</numericEdit>
</ui>
<format>
<picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
</field>
<field name="pole37" presence="hidden">
<ui>
<numericEdit hScrollPolicy="off">
</numericEdit>
</ui>
<format>
<picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
<value>
<float>0,67</float>
</value>
</field>
<field name="pole38">
<ui>
<numericEdit hScrollPolicy="off">
</numericEdit>
</ui>
<format>
<picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
<calculate>
<script contentType="application/x-javascript">this.rawValue =
pole36.rawValue * pole37.rawValue;</script>
</calculate>
</field>
<field name="pole39">
<ui>
<numericEdit hScrollPolicy="off">
</numericEdit>
</ui>
<format>
<picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
</field>
<field name="pole40" presence="hidden">
<ui>
<numericEdit hScrollPolicy="off">
</numericEdit>
</ui>
<format>
<picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
<value>
<float>0,35</float>
</value>

```

```

</field>
<field name="pole41">
<ui>
<numericEdit hScrollPolicy="off">
</numericEdit>
</ui>
<format>
<picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
<calculate>
<script contentType="application/x-javascript">this.rawValue =
pole39.rawValue * pole40.rawValue;</script>
</calculate>
</field>
<field name="pole42">
<ui>
<numericEdit hScrollPolicy="off">
</numericEdit>
</ui>
<format>
<picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
</field>
<field name="pole44" presence="hidden">
<ui>
<numericEdit hScrollPolicy="off">
</numericEdit>
</ui>
<format>
<picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
<value>
<float>0,35</float>
</value>
</field>
<field name="pole44">
<ui>
<numericEdit hScrollPolicy="off">
</numericEdit>
</ui>
<format>
<picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
<calculate>
<script contentType="application/x-javascript">this.rawValue =
pole43.rawValue * pole42.rawValue;</script>
</calculate>
</field>
<field name="pole45">
<ui>
<numericEdit hScrollPolicy="off">
</numericEdit>
</ui>
<format>
<picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
</field>
<field name="pole46">
<ui>
<numericEdit hScrollPolicy="off">
</numericEdit>
</ui>
<format>
<picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
<value>
<float>0,60</float>
</value>

```

```

<field name="pole47">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue = pole46.rawValue * pole45.rawValue;</script>
  </calculate>
</field>
<field name="pole48">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole49" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>0,23</float>
  </value>
</field>
<field name="pole50">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue = pole49.rawValue * pole48.rawValue;</script>
  </calculate>
</field>
<field name="pole51">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole52" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>3,71</float>
  </value>

```

```

</field>
<field name="pole53">
<ui>
<numericEdit hScrollPolicy="off">
</numericEdit>
</ui>
<format>
<picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
<calculate>
<script contentType="application/x-javascript">this.rawValue =
pole52.rawValue * pole51.rawValue;</script>
</calculate>
</field>
<field name="pole54">
<ui>
<numericEdit hScrollPolicy="off">
</numericEdit>
</ui>
<format>
<picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
</field>
<field name="pole55" presence="hidden">
<ui>
<numericEdit hScrollPolicy="off">
</numericEdit>
</ui>
<format>
<picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
<value>
<float>0,23</float>
</value>
</field>
<field name="pole56">
<ui>
<numericEdit hScrollPolicy="off">
</numericEdit>
</ui>
<format>
<picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
<calculate>
<script contentType="application/x-javascript">this.rawValue =
pole55.rawValue * pole54.rawValue;</script>
</calculate>
</field>
<field name="pole57">
<ui>
<numericEdit hScrollPolicy="off">
</numericEdit>
</ui>
<format>
<picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
</field>
<field name="pole58" presence="hidden">
<ui>
<numericEdit hScrollPolicy="off">
</ui>
<format>
<picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
<value>
<float>0,56</float>
</value>
</field>

```

```

<field name="pole59">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole58.rawValue * pole57.rawValue;</script>
  </calculate>
</field>
<field name="pole60">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole61" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <value>
    <float>18,65</float>
  </value>
</field>
<field name="pole62">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole61.rawValue * pole60.rawValue;</script>
  </calculate>
</field>

<?templateDesigner expand 1?></subform>
<subform h="842pt" name="Page3">
  <break before="pageArea" beforeTarget="#PageAreal" startNew="1"/>
  <bind match="none"/>

  <field name="pole63">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
      <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole64" presence="hidden">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>

```

```

<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
<value>
    <float>19,01</float>
</value>
</field>
<b><field name="pole65"></b>
<ui>
    <numericEdit hScrollPolicy="off">
        </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
<para hAlign="right" vAlign="middle"/>
<font typeface="Helvetica"/>
<calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole64.rawValue * pole63.rawValue;</script>
</calculate>
</field>

<b><field name="pole66"></b>
<ui>
    <numericEdit hScrollPolicy="off">
        </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
</field>

<b><field name="pole67" presence="hidden"></b>
<ui>
    <numericEdit hScrollPolicy="off">
        </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
<value>
    <float>9,90</float>
</value>
</field>
<b><field name="pole68"></b>
<ui>
    <numericEdit hScrollPolicy="off">
        </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
<calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole67.rawValue * pole66.rawValue;</script>
</calculate>
</field>
<b><field name="pole69"></b>
<ui>
    <numericEdit hScrollPolicy="off">
        </numericEdit>
</ui>

```

```

        <format>
            <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole70" presence="hidden">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
            <float>9,50</float>
        </value>
    </field>
    <field name="pole71">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole70.rawValue * pole69.rawValue;</script>
        </calculate>
    </field>
    <field name="pole72">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole73" presence="hidden">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
            <float>16,16</float>
        </value>
    </field>
    <field name="pole74">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole73.rawValue * pole72.rawValue;</script>
        </calculate>
    </field>
    <field name="pole75">
        <ui>

```

```

        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole76" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>8,84</float>
    </value>
</field>
<field name="pole77">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole76.rawValue * pole75.rawValue;</script>
    </calculate>
</field>
<field name="pole8">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole79" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>1,97</float>
    </value>
</field>
<field name="pole80">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole79.rawValue * pole78.rawValue;</script>
    </calculate>
</field>

```

```

<field name="pole81">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole82" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>5,49</float>
    </value>
</field>
<field name="pole83">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole82.rawValue * pole81.rawValue;</script>
    </calculate>
</field>
<field name="pole84">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole85" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>5,49</float>
    </value>
</field>
<field name="pole86">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole85.rawValue * pole84.rawValue;</script>
    </calculate>
</field>

```

```

<field name="pole87">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole88" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <value>
    <float>0,02</float>
  </value>
</field>
<field name="pole89">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole88.rawValue * pole89.rawValue;</script>
  </calculate>
</field>
<field name="pole90">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole91" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <value>
    <float>0,002</float>
  </value>
</field>
<field name="pole2">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole91.rawValue * pole90.rawValue;</script>
  </calculate>
</field>

```

```

<field name="pole93">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole38.rawValue + pole41.rawValue + pole44.rawValue + pole47.rawValue +
pole50.rawValue + pole53.rawValue + pole56.rawValue + pole59.rawValue +
pole62.rawValue + pole65.rawValue + pole68.rawValue + pole71.rawValue +
pole74.rawValue + pole77.rawValue + pole80.rawValue + pole83.rawValue +
pole86.rawValue + pole89.rawValue + pole92.rawValue;</script>
  </calculate>
  </field>
<field name="pole94">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  </field>
<field name="pole95">
  <ui>
    <textEdit hScrollPolicy="off">
      </textEdit>
  </ui>
  </field>
<field name="pole96">
  <ui>
    <textEdit hScrollPolicy="off">
      </textEdit>
  </ui>
  </field>
<field name="pole97">
  <ui>
    <textEdit hScrollPolicy="off">
      <comb numberOfCells="8"/>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
  </field>
<field name="pole98">
  <ui>
    <textEdit hScrollPolicy="off">
      </textEdit>
  </ui>
  </field>
<field name="pole101">
  <ui>
    <textEdit hScrollPolicy="off">
      <comb numberOfCells="8"/>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
  </field>
</field>

```