

**Układ informacji i powiązań między nimi w deklaracji DN-1/B Załącznik do deklaracji
na podatek od nieruchomości dla podatników korzystających ze zwolnień na mocy
ustawy o podatkach i opłatach lokalnych na rok 2009 w formacie danych XML**

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
<xdp:xdp xmlns:xdp="http://ns.adobe.com/xdp/">
<template baseProfile="interactiveForms" xmlns="http://www.xfa.org/schema/xfa-
template/2.5/">
  <subform name="topmostSubform" layout="tb" locale="pl_PL">
    <pageSet>
      <pageArea id="PageArea1" name="PageArea1">

        <field name="pole1_NIP">
          <ui>
            </textEdit>
          </ui>
          <value>
            <text maxChars="10"/>
          </value>
        </field>
        <field name="pole2_Numer_karty" >
          <ui>
            </textEdit>
          </ui>
          <value>
            <text maxChars="10"/>
          </value>
        </field>
        <field name="pole3_ROK" " access="readOnly">
          <ui>
            </textEdit>
          </ui>
          <value>
            <text maxChars="4"></text>
          </value>
        </field>
        <field name="P5_1">
          <ui>
            </checkBox>
          </ui>
          <value>
            <text>Off</text>
          </value>
          <items>
            <text>Tak</text>
            <text>Off</text>
          </items>
        </field>
        <field name="P5_2">
          <ui>
            </checkBox>
          </ui>
          <value>
            <text>Off</text>
          </value>
          <items>
            <text>Tak</text>
            <text>Off</text>
          </items>
        </field>
      </pageArea>
    </pageSet>
  </subform>
</template>
</xdp>
</xdp:xdp>
```

```

<field name="P5_2_miesiac_rok">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="6"/>
    </value>
</field>
<field name="P5_3">
    <ui>
        </checkBox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="P5_4">
    <ui>
        </checkBox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="P5_5">
    <ui>
        </checkBox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="P5_5_miesiac_rok">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="6"/>
    </value>
</field>
<field name="P6_1">
    <ui>
        </checkBox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="P6_2">
    <ui>
        </checkBox>
    </ui>

```

```

        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    </field>
    <field name="pole7_PESSEL">
        <ui>
            </textEdit>
        </ui>
        <value>
            <text maxChars="11"/>
        </value>
    </field>
    <field name="pole8">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole9">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole10">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole11">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole12">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole13">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole14">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole15" >
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole16">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole17">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole18">
        <ui>

```

```
        </textEdit>
    </ui>
</field>
<field name="pole19">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole20">
    <ui>
        </textEdit>
    </ui>
</field>

<field name="pole21" >
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole22">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole23">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole24">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole25">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole26">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole27">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole28">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole29">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole30">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole31">
    <ui>
        </textEdit>
    </ui>
```

```

</field>
<field name="pole32">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole33">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole34">
  <ui>
    </textEdit>
  </ui>
</field>

<?templateDesigner expand 1?></subform>
<subform name="Page2">

  <field name="pole35">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole36" presence="hidden">
    <ui>
      <margin/>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float>0,67</float>
    </value>
  </field>
  <field name="pole37">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole35.rawValue * pole36.rawValue;</script>
    </calculate>
  </field>
  <field name="pole38">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole39" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>

```

```

        <value>
            <float>0,35</float>
        </value>
    </field>
    <field name="pole40">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole38.rawValue * pole39.rawValue;</script>
        </calculate>

    </field>
    <field name="pole41">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole42" presence="hidden">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
            <float>0,35</float>
        </value>
    </field>
    <field name="pole43">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole41.rawValue * pole42.rawValue;</script>
        </calculate>

    </field>
    <field name="pole44">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole45" presence="hidden">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
            <float>0,60</float>
        </value>
    </field>

```

```

<field name="pole46">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole44.rawValue * pole45.rawValue;</script>
  </calculate>
</field>
<field name="pole47">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole48" presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>0,23</float>
  </value>
</field>
<field name="pole49">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole47.rawValue * pole48.rawValue;</script>
  </calculate>
</field>
<field name="pole50">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole51" presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>3,71</float>
  </value>
</field>
<field name="pole52" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>

```

```

        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole51.rawValue * pole52.rawValue;</script>
        </calculate>
    </field>
    <field name="pole53" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole54" presence="hidden">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
            <float>0,23</float>
        </value>
    </field>
    <field name="pole55" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole53.rawValue * pole54.rawValue;</script>
        </calculate>
    </field>
    <field name="pole56" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole57" presence="hidden">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
            <float>0,56</float>
        </value>
    </field>
    <field name="pole58" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole56.rawValue * pole57.rawValue;</script>
        </calculate>
    </field>

```

```

<field name="pole59" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole60" presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>18,65</float>
  </value>
</field>
<field name="pole61" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole59.rawValue * pole60.rawValue;</script>
  </calculate>
</field>
<field name="pole62" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole63" presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>9,50</float>
  </value>
</field>
<field name="pole64" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole62.rawValue * pole63.rawValue;</script>
  </calculate>
</field>
<field name="pole65" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>

```

```

        </format>
    </field>
    <field name="pole66" presence="hidden">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
            <float>9,50</float>
        </value>
    </field>
    <field name="pole67" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole65.rawValue * pole66.rawValue;</script>
        </calculate>
    </field>
    <field name="pole68" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole69" " presence="hidden">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
            <float>16,16</float>
        </value>
    </field>
    <field name="pole70" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole68.rawValue * pole69.rawValue;</script>
        </calculate>
    </field>
    <field name="pole71" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole72" presence="hidden">
        <ui>
            </textEdit>
        </ui>

```

```

        <value>
            <text>8,84</text>
        </value>
    </field>
    <field name="pole73" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>

    <?templateDesigner expand 1?></subform>
    <subform name="Page3" >

        <field name="pole74" >
            <ui>
                </numericEdit>
            </ui>
            <format>
                <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
            </format>
        </field>
        <field name="pole75" " presence="hidden">
            <ui>
                </numericEdit>
            </ui>
            <format>
                <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
            </format>
            <value>
                <float>1,97</float>
            </value>
        </field>
        <field name="pole76" >
            <ui>
                </numericEdit>
            </ui>
            <format>
                <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
            </format>
            <calculate>
                <script contentType="application/x-javascript">this.rawValue =
pole74.rawValue * pole75.rawValue;</script>
            </calculate>
        </field>
        <field name="pole77" >
            <ui>
                </numericEdit>
            </ui>
            <format>
                <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
            </format>
        </field>
        <field name="pole78" presence="hidden">
            <ui>
                </numericEdit>
            </ui>
            <format>
                <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
            </format>
            <value>
                <float>5,49</float>
            </value>
        </field>
    </subform>

```

```

        </value>
    </field>
    <field name="pole79" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole77.rawValue * pole78.rawValue;</script>
        </calculate>
    </field>
    <field name="pole80" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole81" presence="hidden">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
            <float>5,49</float>
        </value>
    </field>
    <field name="pole82" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole80.rawValue * pole81.rawValue;</script>
        </calculate>
    <field name="pole83" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole84" presence="hidden">
        <ui>
            </textEdit>
        </ui>
        <value>
            <text>0,02</text>
        </value>
    </field>
    <field name="pole85" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>

```

```

        <script contentType="application/x-javascript">this.rawValue =
pole83.rawValue * pole84.rawValue;</script>
    </calculate>
</field>
<field name="pole86" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole87" presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,002</float>
    </value>
</field>
<field name="pole88" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole86.rawValue * pole87.rawValue;</script>
    </calculate>
</field>
<field name="pole89" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole90">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole91">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole92">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole93">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole94">

```

```
        <ui>
            </textEdit>
        </ui>
    </field>
</field>
<field name="pole95">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole96">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole97">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole98">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole99">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole100">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole101">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole102">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole103">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole104">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole105">
    <ui>
        </textEdit>
    </ui>
</field>
```

```
<field name="pole106">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole107">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole108">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole109">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole110">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole111">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole112">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole113">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole114">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole115">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole116">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole117">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole118">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole119">
  <ui>
    </textEdit>
```

```
        </ui>
    </field>
    <field name="pole120">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole121">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole122">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole123">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole124">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole125">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole126">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole127">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole128">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole129">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole130">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole131">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole132">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole133">
```

```
<ui>
  </textEdit>
</ui>
</field>
<field name="pole134">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole135">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole136">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole137">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole138">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole139">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole140">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole141">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole142">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole143">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole144">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole145">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole146">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
</field>
<field name="pole147">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole148">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole149">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole150">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole151">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole152">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole153">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole154">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole155">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole156">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole157">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole158">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole159">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole160">
  <ui>
```

```
        </textEdit>
      </ui>
    </field>
    <field name="pole161">
      <ui>
        </textEdit>
      </ui>
    </field>
    <field name="pole162">
      <ui>
        </textEdit>
      </ui>
    </field>
    <field name="pole163">
      <ui>
        </textEdit>
      </ui>
    </field>
    <field name="pole164">
      <ui>
        </textEdit>
      </ui>
    </field>
```

```
<?templateDesigner expand 1?></subform>
<subform name="Page4" >
```

```
  <field name="pole165">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole166">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole167">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole168">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole169">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole170">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole171">
    <ui>
      </textEdit>
    </ui>
  </field>
```

```

<field name="pole172">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole173">
  <ui>
    </textEdit>
  </ui>
</field>

<field name="pole174">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole175">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole176">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole177">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole178">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole179">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole180">
  <ui>
    </textEdit>
  </ui>
</field>

<field name="pole181">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole182">
  <ui>
    </textEdit>
  </ui>
</field>

<field name="pole183" >
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole185">
  <ui>

```

```
        </textEdit>
    </ui>
</field>
<field name="pole186">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole187" >
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
```