

**Układ informacji i powiązań między nimi w deklaracji DN-1 Deklaracja na podatek od
nieruchomości na rok 2009 w formacie danych XML**

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
<xdp:xdp xmlns:xdp="http://ns.adobe.com/xdp/">
<template xmlns="http://www.xfa.org/schema/xfa-template/2.5/"
baseProfile="interactiveForms">
  <subform layout="tb" locale="pl_PL" name="topmostSubform">
    <pageSet>
      <pageArea id="PageArea1" name="PageArea1">
        <field name="pole1_NIP" >
          <ui>
            <textEdit hScrollPolicy="off">
              <comb numberOfCells="10"/>
              <margin/>
            </textEdit>
          </ui>
          <value>
            <text maxChars="10"/>
          </event>
        </field>
        <field name="pole10_REGON">
          <ui>
            <textEdit hScrollPolicy="off">
              <comb numberOfCells="10"/>
              <margin/>
            </textEdit>
          </ui>
          <value>
            <text maxChars="10"/>
          </value>
        </field>
        <field name="pole11_PESSEL" >
          <ui>
            <textEdit hScrollPolicy="off">
              <comb numberOfCells="11"/>
              <margin/>
            </textEdit>
          </ui>
        <field name="P5_1">
          <ui>
            </checkbox>
          </ui>
          <value>
            <text>Off</text>
          </value>
          <items>
            <text>Tak</text>
            <text>Off</text>
          </items>
        <field name="P5_3">
          <ui>
            </checkbox>
          </ui>
          <value>
            <text>Off</text>
          </value>
          <items>
            <text>Tak</text>
            <text>Off</text>
          </items>
        </field>
      </pageArea>
    </subform>
  </pageSet>
</template>
</xdp>
```

```

        </items>
<field name="P5_5">
    <ui>
        </checkbox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P5_2">
    <ui>
        </checkbox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P5_4">
    <ui>
        </checkbox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P5_2_miesiac_rok">
    <ui>
        <comb numberOfCells="6"/>
    </ui>
    <value>
        <text maxChars="6"/>
    </value>
<field name="P5_5_miesiac_rok">
    <ui>
        <comb numberOfCells="6"/>
    </ui>
    <value>
        <text maxChars="6"/>
    </value>
<field name="P6_1">
    <ui>
        </checkbox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_2">
    <ui>
        </checkbox>
    </ui>
    <value>
        <text>Off</text>
    </value>

```

```

    </value>
  </items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P6_3">
  <ui>
    </checkBox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P6_6">
  <ui>
    </checkBox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P6_8">
  <ui>
    </checkBox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P6_5">
  <ui>
    </checkBox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P6_7">
  <ui>
    </checkBox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P6_4">
  <ui>
    </checkBox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>

```

```

        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P7_1">
    <ui>
        </checkbox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P7_2">
    <ui>
        </checkbox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P7_3">
    <ui>
        </checkbox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P7_4">
    <ui>
        </checkbox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="pole8">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole9">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole13_NBR">
    <ui>
        <comb numberOfCells="26"/>
    </ui>
    <value>
        <text maxChars="26"/>
    </value>
</field>
<field name="pole12">

```

```

        <ui>
            <comb numberOfCells="11"/>
        </textEdit>
    </ui>
    <value>
        <text maxChars="11"/>
    </value>
</field>
<field access="readOnly" name="pole3_ROK">
    <ui>
        <comb numberOfCells="4"/>
    </textEdit>
    </ui>
    <value>
        <text maxChars="4">2009</text>
    </value>
</field>

    <?templateDesigner expand 1?></subform>
<subform name="Page2">

    <field name="pole22">
        <ui>
            <textEdit hScrollPolicy="off">
        </textEdit>
        </ui>
    </field>
    <field name="pole23">
        <ui>
            <textEdit hScrollPolicy="off">
        </textEdit>
        </ui>
    </field>
    <field name="pole18">
        <ui>
            <textEdit hScrollPolicy="off">
        </textEdit>
        </ui>
    </field>
    <field name="pole19">
        <ui>
            <textEdit hScrollPolicy="off">
        </textEdit>
        </ui>
    </field>
    <field name="pole22">
        <ui>
            <textEdit hScrollPolicy="off">
        </textEdit>
        </ui>
    </field>
    <field name="pole21">
        <ui>
            <textEdit hScrollPolicy="off">
        </textEdit>
        </ui>
    </field>
    <field name="pole24">
        <ui>
            <textEdit hScrollPolicy="off">
        </textEdit>
        </ui>
    </field>
    <field name="pole15">
        <ui>
            <textEdit hScrollPolicy="off">
        </textEdit>

```

```

    </ui>
</field>
<field name="pole16">
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole17">
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole32">
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole33">
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole28">
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole29">
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole30">
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole31">
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole34">
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole25">
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole26">
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>

```

```

</field>
<field name="pole27">
  <ui>
    <textEdit hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole35">
  <ui>
    <textEdit hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole36">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole37" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>0,67</float>
  </value>
</field>
<field name="pole38">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole36.rawValue * pole37.rawValue;</script>
  </calculate>
</field>
<field name="pole39">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole40" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>0,35</float>
  </value>

```

```

</field>
<field name="pole41">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole39.rawValue * pole40.rawValue;</script>
  </calculate>
</field>
<field name="pole42">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole44" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>0,35</float>
  </value>
</field>
<field name="pole44">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole43.rawValue * pole42.rawValue;</script>
  </calculate>
</field>
<field name="pole45">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole46">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>0,60</float>
  </value>

```

```

<field name="pole47">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole46.rawValue * pole45.rawValue;</script>
    </calculate>
  </field>
  <field name="pole48">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
      <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
      </format>
    </field>
    <field name="pole49" presence="hidden">
      <ui>
        <numericEdit hScrollPolicy="off">
          </numericEdit>
        </ui>
        <format>
          <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
          <float>0,23</float>
        </value>
      </field>
      <field name="pole50">
        <ui>
          <numericEdit hScrollPolicy="off">
            </numericEdit>
          </ui>
          <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
          </format>
          <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole49.rawValue * pole48.rawValue;</script>
          </calculate>
        </field>
        <field name="pole51">
          <ui>
            <numericEdit hScrollPolicy="off">
              </numericEdit>
            </ui>
            <format>
              <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
            </format>
          </field>
          <field name="pole52" presence="hidden">
            <ui>
              <numericEdit hScrollPolicy="off">
                </numericEdit>
              </ui>
              <format>
                <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
              </format>
              <value>
                <float>3,71</float>
              </value>
            </field>

```

```

</field>
<field name="pole53">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole52.rawValue * pole51.rawValue;</script>
  </calculate>
</field>
<field name="pole54">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole55" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>0,23</float>
  </value>
</field>
<field name="pole56">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole55.rawValue * pole54.rawValue;</script>
  </calculate>
</field>
<field name="pole57">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole58" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
    </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>0,56</float>
  </value>
</field>

```

```

<field name="pole59">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole58.rawValue * pole57.rawValue;</script>
  </calculate>
</field>
<field name="pole60">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole61" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>18,65</float>
  </value>
</field>
<field name="pole62">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole61.rawValue * pole60.rawValue;</script>
  </calculate>
</field>

<?templateDesigner expand 1?></subform>
<subform h="842pt" name="Page3">
  <break before="pageArea" beforeTarget="#PageArea1" startNew="1"/>
  <bind match="none"/>

  <field name="pole63">
    <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole64" presence="hidden">
    <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>

```

```

    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>19,01</float>
    </value>
  </field>
  <field name="pole65">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
      <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
      </format>
      <para hAlign="right" vAlign="middle"/>
      <font typeface="Helvetica"/>
      <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole64.rawValue * pole63.rawValue;</script>
      </calculate>
    </field>

```

```

  <field name="pole66">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
      <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
      </format>
    </field>

```

```

  <field name="pole67" presence="hidden">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
      <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
      </format>
      <value>
        <float>9,90</float>
      </value>
    </field>
    <field name="pole68">
      <ui>
        <numericEdit hScrollPolicy="off">
          </numericEdit>
        </ui>
        <format>
          <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
          <script contentType="application/x-javascript">this.rawValue =
pole67.rawValue * pole66.rawValue;</script>
        </calculate>
      </field>
      <field name="pole69">
        <ui>
          <numericEdit hScrollPolicy="off">
            </numericEdit>
          </ui>

```

```

        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole70" presence="hidden">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
            </ui>
            <format>
                <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
            </format>
            <value>
                <float>9,50</float>
            </value>
        </field>
        <field name="pole71">
            <ui>
                <numericEdit hScrollPolicy="off">
                    </numericEdit>
                </ui>
            <format>
                <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
            </format>
            <calculate>
                <script contentType="application/x-javascript">this.rawValue =
pole70.rawValue * pole69.rawValue;</script>
            </calculate>
        </field>
        <field name="pole72">
            <ui>
                <numericEdit hScrollPolicy="off">
                    </numericEdit>
                </ui>
            <format>
                <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
            </format>
        </field>
        <field name="pole73" presence="hidden">
            <ui>
                <numericEdit hScrollPolicy="off">
                    </numericEdit>
                </ui>
            <format>
                <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
            </format>
            <value>
                <float>16,16</float>
            </value>
        </field>
        <field name="pole74">
            <ui>
                <numericEdit hScrollPolicy="off">
                    </numericEdit>
                </ui>
            <format>
                <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
            </format>
            <calculate>
                <script contentType="application/x-javascript">this.rawValue =
pole73.rawValue * pole72.rawValue;</script>
            </calculate>
        </field>
        <field name="pole75">
            <ui>

```

```

        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole76" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>8,84</float>
    </value>
</field>
<field name="pole77">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole76.rawValue * pole75.rawValue;</script>
    </calculate>
</field>
<field name="pole8">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole79" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>1,97</float>
    </value>
</field>
<field name="pole80">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole79.rawValue * pole78.rawValue;</script>
    </calculate>
</field>

```

```

<field name="pole81">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole82" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>5,49</float>
  </value>
</field>
<field name="pole83">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole82.rawValue * pole81.rawValue;</script>
  </calculate>
</field>
<field name="pole84">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole85" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>5,49</float>
  </value>
</field>
<field name="pole86">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole85.rawValue * pole84.rawValue;</script>
  </calculate>
</field>

```

```

<field name="pole87">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole88" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>0,02</float>
  </value>
</field>
<field name="pole89">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole88.rawValue * pole89.rawValue;</script>
  </calculate>
</field>
<field name="pole90">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole91" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>0,002</float>
  </value>
</field>
<field name="pole2">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole91.rawValue * pole90.rawValue;</script>
  </calculate>
</field>

```

```

<field name="pole93">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole38.rawValue + pole41.rawValue + pole44.rawValue + pole47.rawValue +
pole50.rawValue + pole53.rawValue + pole56.rawValue + pole59.rawValue +
pole62.rawValue + pole65.rawValue + pole68.rawValue + pole71.rawValue +
pole74.rawValue + pole77.rawValue + pole80.rawValue + pole83.rawValue +
pole86.rawValue + pole89.rawValue + pole92.rawValue;</script>
    </calculate>
  </field>
  <field name="pole94">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
      <format>
        <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
      </format>
    </field>
    <field name="pole95">
      <ui>
        <textEdit hScrollPolicy="off">
          </textEdit>
        </ui>
      </field>
      <field name="pole96">
        <ui>
          <textEdit hScrollPolicy="off">
            </textEdit>
          </ui>
        </field>
        <field name="pole97">
          <ui>
            <textEdit hScrollPolicy="off">
              <comb numberOfCells="8"/>
            </textEdit>
          </ui>
          <value>
            <text maxChars="8"/>
          </value>
        </field>
        <field name="pole98">
          <ui>
            <textEdit hScrollPolicy="off">
              </textEdit>
            </ui>
          </field>
          <field name="pole101">
            <ui>
              <textEdit hScrollPolicy="off">
                <comb numberOfCells="8"/>
              </textEdit>
            </ui>
            <value>
              <text maxChars="8"/>
            </value>
          </field>

```